

Material Safety Data Sheet

According to Regulation No 1907/2006/EC – REACH, No. 453/2010 and No 1272/2008/EC - CLP

Date of revision: 01/23/2015 Version No: 3.1

Replaced version No: 3.0

SECTION 1	Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	FOMA DP-R-I; part A	
	Other name or labeling of product:		
1.2	Relevant identified uses of the substance o	r mixture and uses advised against	
	Two-piece powder developer regenerátor for p	rocessing of NDTX-ray films	
1.3	Details of the supplier of the safety data sheet		
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111	
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368	
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)	

SECTION 2	Hazards identification
2.1	Classification (according to Regulation No 1272/2008 – CLP) Eye Irrit.2;H319
	Classification (according to Directive No 1999/45/ES – (DPD) Xi;R36
	The most important adverse physicochemical, human health and environmental effects: Causes serious eye irritation.

2.2 L	Label elements (according to Regulation No 1272/2008/EC- CLP)		
Identification of	oroduct	FOMA DP-R-I, part A	
hazard pictograi	n	<u>(1)</u>	
signal word		Warning	
hazard statement(s) (Haphrases)	H319	Causes serious eye irritation.	
precautionary statement (P- phrases)	P305+P351+P338 P280	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Wear eye protection.	
		FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111	

2.3	Other hazards
	The substance does not belong to the category of PBT, vPvB, SVHC

SECTION 3	Composition/information on ingredients						
3.2	Mixtures						
Folder name	Registration number	Index number	CAS number	ES number	Content %	Classificati	on
Sodium carbonate	01- 2119485498 -19	011-005-00- 2	497-19-8	207-838-8	< 60	Eye Irrit.2;H319	Xi;R36
Disodium dihydrogen ethylenediaminetetra acetate (Dissolvine Na2)	01- 2119486775 -20-0001	Not available	139-33-3	205-358-3	< 1	Acute Tox.4;H332	Xn;R20

(Full text R, H-phrases... section 16)

SECTION 4	First aid measures
4.1	Description of first aid measures
	Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
	After contact with skin: Wash affected area thoroughly with water.
	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid Do not neutralize. Seek medical help.
	Exposure by inhalation: Remove patient to fresh air, lukewarm water rinse eyes, mouth and nasal cavity.

	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold we Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalatic vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or transitive affected person to a doctor.	
4.2	Most important symptoms and effects, both acute and delayed	
	Not known	
4.3	Indication of any immediate medical attention and special treatment needed	
	In the workplace, running water and soap.	

SECTION 5	Firefighting measures
5.1	Extinguishing media
	The product is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: N.a.
5.2	Special hazards arising from the substance or mixture
	At elevated temperatures or by contact with acid can release sulfur dioxide
5.3	Advice for firefighters: Breathing apparatus

SECTION 6	Accidental release measures
6.1	Personal precautions, protective equipment and emergency procedures
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.
6.2	Environmental precautions
	Do not allow substance to enter soil, sewage system, surface and groundwater.
6.3	Methods and material for containment and cleaning up
	The spilled product by mechanical collection. According to the extent of leakage select the appropriate tools: broom, dustpan, vacuum equipment, etc. Minimize dust. Gather into a suitable labeled container for further processing or disposal. Spill site with water. Contaminated washing water contain and remove.
6.4	Reference to other sections
	See section 13

SECTION 7	Handling and storage
7.1	Precautions for safe handling While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes. By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be provided, either naturally or forced.

	Workplaces must be kept clean and escape routes must remain free.
7.2	Conditions for safe storage, including any incompatibilities
	Store in original containers in a cool, dry and well ventilated place. Containers should be stored separately from food. The working solution prepare according to the instructions.
7.3	Specific end use(s)
	See in 1.2., Other uses – not available

SECTION 8	Exposure controls/personal protection		
8.1	Control parameters Government Regulation No 361/2007 Coll Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech) Sodium carbonate: PEL 5 mg/m³ NPK-P 10 mg/m³ Substance is not listed in Notice. No.432/2003 Coll., Laying down limit values of biological exposure tests: not available		
	DNEL: (Sodium carbonate) Workers General Long-Term – inhal., local effect 10 mg/m³ Short-Term – inhal., local. effect 10 mg/m³		
8.2	Exposure controls Individual protection measures, incl. protective equipment		
	Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin. Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water. Alternatively, take off contaminated clothing.		
	Respiratory protection: During normal handling is not required. Recommended that any use of a respirator.		
	Hand protection: Use rubber (PE, nitril) gloves Eye protection: Safety glasses		
	Skin protection: Workwear		
	Environmental exposure: Provide preventing spill into waterways, soil and drainage.		

SECTION 9	Physical and chemical properties	
9.1	Information on basic physical and chemical properties	
	Appearance	White powder
	Odour	Moderate, nonspecific
	рН	cca 10.6-10.8 (12% solution after mixing part A and B)
	Melting point/freezing point	N.a.
	Initial boiling point and boiling range	N.a.
	Flash point	Fireproof

	Evaporation rate	N.a.
	Flammability	Incombustible
	Upper/lower flammability or explosive limits	Irrelevant
	Vapour pressure	Unknown
	Vapour density	Unknown
	Oxidising properties	No
	Relative density	N.a.
	Solubility – watter	cca 200 g/l
	Partition coefficient: n-octanol/water	Unknown
	Auto-ignition temperature	Irrelevant
	Decomposition temperature	N.a.
	Viscosity;	Irrelevant
	Explosive properties	No
9.2	Other information	
	Fat solubility	N.a.
	Conductivity	N.a.

SECTION 10	Stability and reactivity
10.1	Reactivity
	Under normal conditions the product is stable
10.2	Chemical stability
	Under normal conditions the product is stable
10.3	Possibility of hazardous reactions
	Reactions with strong minerale acids, the possibility of sulfur dioxide
10.4	Conditions to avoid
	High temperature
10.5	Incompatible materials
	N.a.
10.6	Hazardous Decomposition Products
	Possible development of sulfur dioxide at elevated temperatures and reaction with acids

SECTION 11	Toxicological informations	
11.1	Information on toxicological effects	
Acute toxicity		Based on available data, the criteria for this classification are not match up

Skin corrosion/irritation	Based on available data, the criteria for this classification are not match up		
Serious eye damage/eye irritation	Servus eye irritation		
Respiratory or skin sensitisation	Based on available data, the criteria for this classification are not match up		
Germ cell mutagenicity	Based on available data, the criteria for this classification are not match up		
Carcinogenicity	Based on available data, the criteria for this classification are not match up		
Reproductive toxicity	Based on available data, the criteria for this classification are not match up		
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up		
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up		
Aspiration hazard	Based on available data, the criteria for this classification are not match up		
LD_{50} oral rat: > 2000 mg/kg (s	LD ₅₀ oral rat: > 2000 mg/kg (sodium carbonate)		
Likely routes of exposure and sympton	Likely routes of exposure and symptoms related to the physical, chemical and toxicological characteristics:		
Toxicity oral. (ingestion / swallowing):			
Ingestion may cause nausea.	, , , , , , , , , , , , , , , , , , ,		
Toxicity inhal. (inhalation):			
The product is not dangerous. Sensitive individuals may irritate respiratory system			
Toxicity dermal.			
N.a.			
Eye Contact:			
Causes serious eye irritation	Causes serious eye irritation		

SECTION	Ecological information
12.1	Toxicity
	EC ₅₀ (daphnia)/48hour: 265 mg/l (sodium carbonate)
	EC ₅₀ (water algae)/5days: 242 mg/l (sodium carbonate)
	Product is not toxic
12.2	Persistence and degradability
	Inorganic substances- Irrelevant
12.3	Bioaccumulative potential
	It is not expected
12.4	Mobility in soil
	N.a., the product is soluble in water
12.5	Results of PBT and vPvB assessment

Immediate, delayed and chronic effects of short and long term exposure:

N.a.

	Not available. Substances are not identified as a PBT or vPvB	
12.6	Other adverse effects	
	N.a.	

SECTION	Disposal considerations		
13			
13.1	Waste treatment methods		
	Code and type of waste	09 01 01* – aqueous developer solutions	
		15 01 10 * - packaging containing residues of hazardous substances	
	The recommended method of disposal of the substance/ preparation:		
	The recommended method of disposal of contaminated product packaging:	Emptied containers pass to the autorized person	
	Waste legislation	Directive No. 2008/98/ES	

SECTION 14	Transport information
---------------	-----------------------

Land transport (road / rail) ADR/RID , Maritime transport IMDG, Air transport ICAO-TI and IATA-DGR:

For the transport of the product **is not** classified as a dangerous thing (goods).

	manaparta mapradational and a de dide	
14.1	UN number	
14.2	UN proper shipping name	
14.3	Transport hazard class(es)	
14.4	Packing group	
	Classification code	
	Kemmler code	
	Labels	
14.5	Environmental hazards	see SECTION 12
14.6	Special precautions for user	
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	

SECTION 15	Regulatory information
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture

	Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH)
	Regulation (EC) No 453/2010 Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Direction No 67/548/EHS (DSD), 1999/45/ES (DPD) Act No. 350/2011 Coll. On chemical substances and mixtures Decree No. 381/2001 Coll. Establishing the Waste Catalogue. Government Regulation No. 361/2007 Coll. On the health conditions of workers at work
	European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015
	IMDG Code,MSC 93/22/Add.2 IATA Dangerous Goods Regulations, 56th Edition
15.2	Chemical safety assessment
	The chemical safety assessment for the product was n made.

SECTION 16			
Abbreviations, symbols			
Eye Irrit.2	Serious eye irritation		
AcuteTox.4	Acute Toxicity		
Xn	harmfull		
Xi	irritation		
CLP	Regulation (ES) č.1272/2008		
DPD	Direction (ES) 1999/45/ES		
РВТ	Persistent, bioaccumulation, toxic		
vPvB	High persistent, high bioaccumulation		
SVHC	Substance of very hight concerns		
DNEL	Derivated No-Effect Level		
PNEC	Prediction No-Effect Concentration		

Materials used for the processing of safety data sheet			
	ed by the producter ta Sheets (MSDS) for chemical substances		
R, H-phrases:			
H332	Harmful by inhalation		
H319	Causes serious eye irritation		
R20	Harmful by inhalation		
R36	Irritating to eyes		

Guidance regarding the training of workers:	

Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly.

Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.

The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producter, importer or retailer.

Revised safety data sheet:

version 3.1 - changes in section 1.3 and 2.2- address of supplier