



Material Safety Data Sheet

According to Regulation No 1907/2006/EC – REACH, No. 453/2010 and No 1272/2008/EC - CLP

Date of revision: 01/23/2015 Version No: 2.1
Replaced version No: 2.0

SECTION 1	Identification of the substance/mixture and of the company/undertaking	
1.1	Product identifier	FOMATEST THIO
	Other name or labeling of product:	
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Solution for checking stability of processed X-ray films.	
1.3	Details of the supplier of the safety data sheet	
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)

SECTION 2	Hazards identification	
2.1	Classification (according to Regulation No 1272/2008 – CLP)	
	Eye Irrit.2;H319 Skin Irrit.2;H315 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	
	Classification (according to Directive No 1999/45/ES – (DPD)	
	Xi;R36/38 N;R50/53	
	<p><u>The most important adverse physicochemical, human health and environmental effects:</u></p> <p>Causes skin and eye irritation. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p>	

2.2	Label elements (according to Regulation No 1272/2008/EC– CLP)	
Identification of product		FOMATEST THIO
hazard pictogram		
signal word		Warning
hazard statement(s) (H-, phrases)	H315 H319 H400 H410	Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life Very toxic to aquatic life with long lasting effects.
precautionary statement (P- phrases)	P262 P273	Do not get in eyes, on skin, or on clothing. Avoid release to the environment
		Contain: silver nitrate (optional)
		FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111

2.3	Other hazards
	The substance does not belong to the category of PBT, vPvB, SVHC

SECTION 3		Composition/information on ingredients				
3.2		Mixtures				
Folder name	Registration number	Index number	CAS number	ES number	Content % in the solution	Classification
Acetic acid	01-2119475328-30	607-002-00-6	64-19-7	200-580-7	< 5	Flam Liq.3;H226 SkinCorr.1A;H314 R10 C;R35
Silver nitrate	01-2119513705-43-0000	047-001-00-2	7761-88-8	231-853-9	< 1,5	Ox.Sol.2;H272 SkinCorr.1B;H314 AquatAcute1;H400 M (acute)=1000 Aquat.Chronic; H410 M (chronic)=100 O;R8 C;R34 N;R50/53

Solution

(Full text R, H-phrases... section 16)

SECTION 4		First aid measures
4.1		Description of first aid measures
		Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
		After contact with skin: Wash affected area thoroughly with water.

	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid.. Do not neutralize. Seek medical help.
	Exposure by inhalation: Remove patient to fresh air, lukewarm water rinse eyes, mouth and nasal cavity.
	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold water. Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalation of vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or transport the affected person to a doctor.
4.2	Most important symptoms and effects, both acute and delayed
	Not known
4.3	Indication of any immediate medical attention and special treatment needed
	In the workplace, running water and soap. If swallowed to get medical advice.

SECTION 5	Firefighting measures
5.1	Extinguishing media
	The product (liquid solution) is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: water fog
5.2	Special hazards arising from the substance or mixture
	It possible release nitrogen gases
5.3	Advice for firefighters: Breathing apparatus, workwear

SECTION 6	Accidental release measures
6.1	Personal precautions, protective equipment and emergency procedures
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.
6.2	Environmental precautions
	Do not allow substance to enter soil, sewage system, surface and groundwater.
6.3	Methods and material for containment and cleaning up
	Let soak it to inert absorption products. Rinse the affected area thoroughly with water. Small leak at least strongly dilute with water.
6.4	Reference to other sections
	See section 13

SECTION 7	Handling and storage
7.1	Precautions for safe handling

	While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes. By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be provided, either naturally or forced. Workplaces must be kept clean and escape routes must remain free.
7.2	Conditions for safe storage, including any incompatibilities
	Store in original containers in a cool, dry and well ventilated place. Containers should be stored separately from food. The working solution prepare according to the instructions.
7.3	Specific end use(s)
	See in 1.2. , Other uses – not available

SECTION 8	Exposure controls/personal protection
8.1	Control parameters
	Government Regulation No 361/2007 Coll. - Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech) Silver nitrate: PEL 0,01mg/m ³ NPK-P 0,03 mg/m ³ Acetic acid: PEL 25 mg/m ³ NPK-P 35 mg/m ³
8.2	Exposure controls
	Individual protection measures, incl. protective equipment
	Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin. Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water. Alternatively, take off contaminated clothing.
	Respiratory protection: During normal handling is not required.
	Hand protection: Use rubber (PE) gloves
	Eye protection: Safety glasses or protective face
	Skin protection: Workwear
	Environmental exposure: Provide preventing spill into waterways, soil and drainage.

SECTION 9	Physical and chemical properties	
9.1	Information on basic physical and chemical properties	
	Appearance	Yellow liquid
	Odour	Moderate, acetic
	pH	cca 2,2-2,5
	Melting point/freezing point	cca 0 °C
	Initial boiling point and boiling range	cca 100 °C
	Flash point	Fireproof
	Evaporation rate	N.a.
	Flammability	Incombustible

	Upper/lower flammability or explosive limits	Irrelevant
	Vapour pressure	Unknown
	Vapour density	Unknown
	Oxidising properties	No
	Relative density	1.01 g/cm ³
	Solubility – water	Solution
	Partition coefficient: n-octanol/water	Unknown
	Auto-ignition temperature	Irrelevant
	Decomposition temperature	N.a.
	Viscosity;	N.a.
	Explosive properties	No
9.2	Other information	
	Fat solubility	No
	Conductivity	N.a.

SECTION 10	Stability and reactivity
10.1	Reactivity
	Under normal conditions the product is stable. Instability during strong heating.
10.2	Chemical stability
	Under normal conditions the product is stable
10.3	Possibility of hazardous reactions
	Hydrogen peroxide, ammonia, bases, salts of iron, acetylene
10.4	Conditions to avoid
	High temperature
10.5	Incompatible materials
	Aluminium, iron, unalloyed steel
10.6	Hazardous Decomposition Products
	Nitrate gases

SECTION 11	Toxicological informations
11.1	Information on toxicological effects
Acute toxicity	Based on available data, the criteria for this classification are not match up
Skin corrosion/irritation	Causes serious skin irritation
Serious eye damage/eye irritation	Causes serious eye irritation

Respiratory or skin sensitisation	Based on available data, the criteria for this classification are not match up
Germ cell mutagenicity	Based on available data, the criteria for this classification are not match up
Carcinogenicity	Based on available data, the criteria for this classification are not match up
Reproductive toxicity	Based on available data, the criteria for this classification are not match up
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up
Aspiration hazard	Based on available data, the criteria for this classification are not match up
<i>Acetic acid</i> : LD ₅₀ oral rat: =3310 mg/kg LD ₅₀ derm., rabbit : =1060 mg/kg	
<u>Likely routes of exposure and symptoms related to the physical, chemical and toxicological characteristics:</u>	
Toxicity oral. (ingestion / swallowing): If swallowed small volume - is not dangerous. If swallowed silver nitrate – is possible spasms and collapse.	
Toxicity inhal. (inhalation): The product (solution) is not dangerous.	
Toxicity dermal. May cause irritation (redness) of skin	
Eye Contact: Causes serious eye irritation	
Immediate, delayed and chronic effects of short and long term exposure: N.a.	

SECTION	Ecological information
12	
12.1	Toxicity LC ₅₀ << 1 mg/kg (for all tested organisms)
12.2	Persistence and degradability Acetic acid is well biologically degradable , Silver nitrate is inorganic substance
12.3	Bioaccumulative potential Not available
12.4	Mobility in soil N.a., the product is soluble in water
12.5	Results of PBT and vPvB assessment Not available. Substances are not identified as a PBT or vPvB
12.6	Other adverse effects Not available

SECTION 13	Disposal considerations	
13.1	Waste treatment methods	
	Code and type of waste	09 01 06* –argentous wastes from processing photographic in place waste productions 15 01 10 * - packaging containing residues of hazardous substances
	The recommended method of disposal of the substance/preparation:	Spilled product let soak up with inert absorbent material and pass the person authorized to remove. Must not be disposed of with household or other waste. Do not wash into sewers.
	The recommended method of disposal of contaminated product packaging:	Emptied containers (after thorough flushing) can be reused, or to defer to container, designated for separate collection (plastics).
	Waste legislation	Directive No. 2008/98/ES

SECTION 14	Transport information
---------------	-----------------------

Land transport ADR/RID (cross- border):

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,N.O.S. (Silver nitrate solution)
Transport hazard class(es)	9
Packing group	III
Labels	9  
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Tunnel restriction: E
Remarks:	The product is carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less and is not subject to any other provisions of ADR provided packaging meet the general provisions of 4.1.1.1., 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (according to chapter 3.3 ADR, special provisions 375)

Maritime transport IMDG:

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,N.O.S. (Silver nitrate solution)
IMDG class(es)	9
Packing group	III
EMS number	F-A, S-F
Segregation	Category A
Marine pollutant	Yes

Labels	9  
Remarks:	The product is packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less and is not subject to any other provisions of IMDG Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. (according to Chapter 2.10, paragraph 2.10.2.7)

Air transport ICAO-TI and IATA-DGR:

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,N.O.S. (Silver nitrate solution)
ICAO/IATA class(es)	9
Packing group	III
Labels	9  
Packing instructions	Passenger aircraft – Packing instruction 964, max. net quantity per package 450 L Cargo aircraft - Packing instruction 964 max. net quantity per package 450 L
Remarks	The product is transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less and is not subject to any other provisions of the IATA Dangerous Goods Regulations provided and the packagings used meet defined standards. (according to part 4.4 , Special provisions A197)

Environmental hazards	Product contains environmentally hazardous substances: (Silver nitrate)
Special precautions for user	Avoid release to the environment

SECTION	Regulatory information
15	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH) Regulation (EC) No 453/2010 Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Direction No 67/548/EHS (DSD), 1999/45/ES (DPD) Act No. 350/2011 Coll. On chemical substances and mixtures Decree No. 381/2001 Coll. Establishing the Waste Catalogue. Government Regulation No. 361/2007 Coll. On the health conditions of workers at work European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015 IMDG Code, MSC 93/22/Add.2 IATA Dangerous Goods Regulations, 56th Edition
15.2	Chemical safety assessment
	The chemical safety assessment for the product was'n made.

SECTION 16	
Abbreviations, symbols	
Ox. Sol. 2	Oxidising Solids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A, 1B	Skin corrosion, Category 1A, 1B
Skin Irrit.2	Skin irritation (Category 2)
Eye Irrit. 2	Serius eye irritation (Category 2)
Aquatic Acute 1	Hazardous to the aquatic environment, acute (Category 1)
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic (Category 1)
O	Oxidize
C	caustic
Xi	irritation
N	hazardous to the aquatic environment
CLP	Regulation (ES) č.1272/2008
DPD	Direction (ES) 1999/45/ES
PBT	Persistent, bioaccumulation, toxic
vPvB	High persistent, high bioaccumulation
SVHC	Substance of very high concerns
DNEL	Derivated No-Effect Level
PNEC	Prediction No-Effect Concentration

Materials used for the processing of safety data sheet	
Information provided by the producer Material Safety Data Sheets (MSDS) for chemical substances	
R, H-phrases :	
H272	May intensify fire; oxidiser.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H315	Causes skin irritation.
H314	Causes severe skin burns and eye damage
R8	Contact with combustible material may cause fire.
R36/38	Irritating to eyes and skin.
R34	Causes burns.
R35	Causes severe burns.
R10	Flammable.

R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--------	--

Guidance regarding the training of workers:

Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly.

Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.

The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producer, importer or retailer.

Revised safety data sheet:

version 2.1 – changes in section 1.3 and 2.2– address of supplier, 14- changed information for maritime and air transport