



## Material Safety Data Sheet

According to Regulation No 1907/2006/EC – REACH, No. 453/2010 and No 1272/2008/EC - CLP


Date of revision : 01/22/2015

Version No : 2.1

Replaced version No: 2.0

<b>SECTION 1</b>	Identification of the substance/mixture and of the company/undertaking	
1.1	Product identifier	<b>U15, part B</b>
	Other name or labeling of product:	
1.2	Relevant identified uses of the substance or mixture and uses advised against Hardening solutionbath for machine processing of RTG films.	
1.3	Details of the supplier of the safety data sheet	
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)

<b>SECTION 2</b>	Hazards identification	
2.1	<b>Classification (according to Regulation No 1272/2008 – CLP)</b>	
	Met.Corr.1;H290 Eye.Dam.1;H318 Skin Irrit.2;H315	
	Classification (according to Directive No 1999/45/ES – (DPD)	
	Xi;R38-41	
	<u>The most important adverse physicochemical, human health and environmental effects:</u> Upon contact with the eyes can cause serious damage. May cause a skin irritation.	

2.2	Label elements (according to Regulation No 1272/2008/EC– CLP)	
<i>Identification of product</i>		<b>U15, part B</b>
<i>hazard pictogram</i>		
<i>signal word</i>		Danger
<i>hazard statement(s) (H- phrases)</i>	H290 H318 H315	May be corrosive to metals. Causes serious eye damage. Causes skin irritation
<i>precautionary statement (P- phrases)</i>	P280 P305+P351+P338 P302+ P352	Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/soap.
		Contain: Sulphuric acid, Aluminium sulphate
		FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111

2.3	Other hazards
	The substance does not belong to the category of PBT, vPvB, SVHC

SECTION 3		Composition/information on ingredients					
3.2		Mixtures					
Folder name	Registration number	Index number	CAS number	ES number	Content % in the solution	Classification	
Aluminium sulphate* octadecahydrate	01-2119531538-36-0018	Not available	7784-31-8	233-135-0	< 70	Eye Dam.1;H318	Xi;R41
Sulphuric acid	01-2119458838-20-0000	016-020-00-8	7664-93-9	231-639-5	< 5	SkinCorr.1A;H314	C;R35

100% powder hydrate aluminium sulphate: Eye dam. 1;H318 Xi R41

For production is used aluminium sulphate- solution. Classification this solution is coincident with registration data (Dossier): Eye Dam.1;H318 Xi;R41  
Met.Corr.1;H290  
Solution

(Full text R, H-phrases... section 16)

SECTION 4		First aid measures
4.1	Description of first aid measures	

	Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
	After contact with skin: Wash affected area thoroughly with water.
	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid.. Do not neutralize. Seek medical help.
	Exposure by inhalation: Remove patient to fresh air, lukewarm water rinse eyes, mouth and nasal cavity.
	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold water. Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalation of vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or transport the affected person to a doctor.
4.2	Most important symptoms and effects, both acute and delayed
	Not known
4.3	Indication of any immediate medical attention and special treatment needed
	In the workplace, running water and soap.

<b>SECTION 5</b>	<b>Firefighting measures</b>
5.1	Extinguishing media
	The product (liquid solution) is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: N.a.
5.2	Special hazards arising from the substance or mixture
	At elevated temperatures or by contact with acid can release sulphur dioxide
5.3	Advice for firefighters: Breathing apparatus

<b>SECTION 6</b>	<b>Accidental release measures</b>
6.1	Personal precautions, protective equipment and emergency procedures
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.
6.2	Environmental precautions
	Do not allow substance to enter soil, sewage system, surface and groundwater.
6.3	Methods and material for containment and cleaning up
	Let soak it to inert absorption products. Rinse the affected area thoroughly with water. Small leak at least strongly dilute with water.
6.4	Reference to other sections
	See section 13

SECTION 7	Handling and storage
7.1	Precautions for safe handling
	While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes. By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be provided, either naturally or forced. Workplaces must be kept clean and escape routes must remain free.
7.2	Conditions for safe storage, including any incompatibilities
	Store in original containers in a cool, dry and well ventilated place. Containers should be stored separately from food. The working solution prepare according to the instructions.
7.3	Specific end use(s)
	See in 1.2. , Other uses – not available

SECTION 8	Exposure controls/personal protection												
8.1	Control parameters												
	Government Regulation No 361/2007 Coll. - Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech) <i>sulphuric acid ( as SO<sub>3</sub>)</i> : PEL 1 mg/m <sup>3</sup> NPK-P 2 mg/m <sup>3</sup>  Substance is not listed in Notice. No.432/2003 Coll., Laying down limit values of biological exposure tests: not available												
	<table> <tr> <td>DNEL : (<i>sulphuric acid</i>)</td> <td>Workers</td> <td>General</td> </tr> <tr> <td>Short-Term – inhal., local. effect</td> <td>0,1 mg/m<sup>3</sup></td> <td></td> </tr> <tr> <td>Long-Term – inhal., local. effect</td> <td>0,05 mg/m<sup>3</sup></td> <td></td> </tr> </table>	DNEL : ( <i>sulphuric acid</i> )	Workers	General	Short-Term – inhal., local. effect	0,1 mg/m <sup>3</sup>		Long-Term – inhal., local. effect	0,05 mg/m <sup>3</sup>				
DNEL : ( <i>sulphuric acid</i> )	Workers	General											
Short-Term – inhal., local. effect	0,1 mg/m <sup>3</sup>												
Long-Term – inhal., local. effect	0,05 mg/m <sup>3</sup>												
	<table> <tr> <td>PNEC : (<i>sulphuric acid</i>)</td> <td></td> </tr> <tr> <td>Freshwater</td> <td>0,0025mg/l</td> </tr> <tr> <td>Seawater</td> <td>0,00025 mg/l</td> </tr> <tr> <td>Soil</td> <td></td> </tr> <tr> <td>Mikroorganismen in Sewasge Treatment Plant</td> <td>8,8 mg/l</td> </tr> <tr> <td>Aluminium sulphate</td> <td></td> </tr> </table>	PNEC : ( <i>sulphuric acid</i> )		Freshwater	0,0025mg/l	Seawater	0,00025 mg/l	Soil		Mikroorganismen in Sewasge Treatment Plant	8,8 mg/l	Aluminium sulphate	
PNEC : ( <i>sulphuric acid</i> )													
Freshwater	0,0025mg/l												
Seawater	0,00025 mg/l												
Soil													
Mikroorganismen in Sewasge Treatment Plant	8,8 mg/l												
Aluminium sulphate													
	<table> <tr> <td>DNEL :(<i>Aluminium sulphate</i>)</td> <td>Workers</td> <td>General</td> </tr> <tr> <td>Long-Term – inhal., systemic. effect</td> <td>20 mg/m<sup>3</sup></td> <td></td> </tr> <tr> <td>Long-Term-oral., systemic effect</td> <td></td> <td>3,4 mg/m<sup>3</sup></td> </tr> </table>	DNEL :( <i>Aluminium sulphate</i> )	Workers	General	Long-Term – inhal., systemic. effect	20 mg/m <sup>3</sup>		Long-Term-oral., systemic effect		3,4 mg/m <sup>3</sup>			
DNEL :( <i>Aluminium sulphate</i> )	Workers	General											
Long-Term – inhal., systemic. effect	20 mg/m <sup>3</sup>												
Long-Term-oral., systemic effect		3,4 mg/m <sup>3</sup>											
8.2	Exposure controls												
	Individual protection measures, incl. protective equipment												
	Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin.  Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water. Alternatively, take off contaminated clothing.												
	Respiratory protection: During normal handling is not required. In sensitive people (due to possible respiratory irritation) is recommended respirator use.												

	Hand protection: Use rubber (PE, nitril) gloves
	Eye protection: Safety glasses
	Skin protection: Workwear
	Environmental exposure: Provide preventing spill into waterways, soil and drainage.

<b>SECTION 9</b>	<b>Physical and chemical properties</b>	
9.1	Information on basic physical and chemical properties	
	Appearance	Slightly yellow liquid
	Odour	Moderate, nonspecific
	pH	< 1
	Melting point/freezing point	cca 0 °C
	Initial boiling point and boiling range	cca 100 °C
	Flash point	Fireproof
	Evaporation rate	N.a.
	Flammability	Incombustible
	Upper/lower flammability or explosive limits	Irrelevant
	Vapour pressure	Unknown
	Vapour density	Unknown
	Oxidising properties	No
	Relative density	1.2 g/cm <sup>3</sup>
	Solubility – watter	Solution
	Partition coefficient: n-octanol/water	Unknown
	Auto-ignition temperature	Irrelevant
	Decomposition temperature	N.a.
	Viscosity;	N.a.
	Explosive properties	No
9.2	Other information	
	Fat solubility	N.a.
	Conductivity	N.a.

<b>SECTION 10</b>	<b>Stability and reactivity</b>	
10.1	Reactivity	
	Under normal conditions the product is stable	
10.2	Chemical stability	
	Under normal conditions the product is stable	

10.3	Possibility of hazardous reactions
	Reactions with metals, the possibility of hydrogen
10.4	Conditions to avoid
	High temperature
10.5	Incompatible materials
	Iron, light metals, strong bases
10.6	Hazardous Decomposition Products
	Possible development of sulfur dioxide at elevated temperatures and reaction with acids

<b>SECTION</b> 11	<b>Toxicological informations</b>	
11.1	Information on toxicological effects	
Acute toxicity	Based on available data, the criteria for this classification are not match up	
Skin corrosion/irritation	Causes serious skin irritation	
Serious eye damage/eye irritation	Causes serious eye damage	
Respiratory or skin sensitisation	Based on available data, the criteria for this classification are not match up	
Germ cell mutagenicity	Based on available data, the criteria for this classification are not match up	
Carcinogenicity	Based on available data, the criteria for this classification are not match up	
Reproductive toxicity	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up	
Aspiration hazard	Based on available data, the criteria for this classification are not match up	
LD <sub>50</sub> oral rat:	2140 mg/kg (sulphuric acid)	
LD <sub>50</sub> oral rat:	> 5000mg/kg (aluminium sulphate)	
<u>Likely routes of exposure and symptoms related to the physical, chemical and toxicological characteristics:</u>		
Toxicity oral. (ingestion / swallowing): Ingestion may cause strong burning of the digestive tract.		
Toxicity inhal. (inhalation): The product (steams) causes respiratory system irritation.		
Toxicity dermal. Causes skin irritation.		
Eye Contact: Causes serious eye damage		
Immediate, delayed and chronic effects of short and long term exposure: N.a.		


SECTION 12	Ecological information
12.1	Toxicity
	<p>Sulphuric acid is strong mineral acid, do to low pH is local harmful to water organism</p> <p>LC<sub>50</sub>(fish)/96hour: &gt;500 mg/l (Brachydanio trio)</p> <p>EC<sub>50</sub>(daphnia)/48hour: 29 mg/l</p> <p>EC<sub>50</sub>(fish , Danio rerio)/96hour: &gt;1000 mg/l test OECD 203 (aluminium sulphate)</p> <p>EC<sub>50</sub>(Daphnia magna)/48hour: &gt;160 mg/l test OECD 202 (aluminium sulphate)</p>
12.2	Persistence and degradability
	Inorganic substances - Aluminium sulphate hydrolyzes.
12.3	Bioaccumulative potential
	It is not expected
12.4	Mobility in soil
	N.a., the product is soluble in water
12.5	Results of PBT and vPvB assessment
	Not available. Substances are not identified as a PBT or vPvB
12.6	Other adverse effects
	WGK = 1

SECTION 13	Disposal considerations				
13.1	Waste treatment methods				
	<table border="1"> <tr> <td>Code and type of waste</td> <td>09 01 04* – fixer solutions 15 01 10 * - packaging containing residues of hazardous substances</td> </tr> </table>	Code and type of waste	09 01 04* – fixer solutions 15 01 10 * - packaging containing residues of hazardous substances		
Code and type of waste	09 01 04* – fixer solutions 15 01 10 * - packaging containing residues of hazardous substances				
	<table border="1"> <tr> <td>The recommended method of disposal of the substance/ preparation:</td> <td>Spilled product let soak up with inert absorbent material and pass the person authorized to remove. Must not be disposed of with household or other waste. Do not wash into sewers.</td> </tr> <tr> <td>The recommended method of disposal of contaminated product packaging:</td> <td>Emptied containers (after thorough flushing) can be reused, or to defer to container, designated for separate collection (plastics).</td> </tr> </table>	The recommended method of disposal of the substance/ preparation:	Spilled product let soak up with inert absorbent material and pass the person authorized to remove. Must not be disposed of with household or other waste. Do not wash into sewers.	The recommended method of disposal of contaminated product packaging:	Emptied containers (after thorough flushing) can be reused, or to defer to container, designated for separate collection (plastics).
The recommended method of disposal of the substance/ preparation:	Spilled product let soak up with inert absorbent material and pass the person authorized to remove. Must not be disposed of with household or other waste. Do not wash into sewers.				
The recommended method of disposal of contaminated product packaging:	Emptied containers (after thorough flushing) can be reused, or to defer to container, designated for separate collection (plastics).				
	<table border="1"> <tr> <td>Waste legislation</td> <td>Directive No. 2008/98/ES</td> </tr> </table>	Waste legislation	Directive No. 2008/98/ES		
Waste legislation	Directive No. 2008/98/ES				


SECTION 14	Transport information
---------------	-----------------------

**Land transport ADR/RID (cross- border):**


UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIS, INORGANIC, N.O.S.( sulphuric acid)
Transport hazard class(es)	8
Packing group	III

Labels	8 
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Tunnel restriction: E
Remarks:	The product is packed in limited quantities according to chapter 3.4 ADR , it means in combination packaging with not more than 5 liter per inner packaging and not more than 30 kg per package Marking for packages containing limited quantities- according to chapter 3.4.7

**Maritime transport IMDG:**

UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIS, INORGANIC, N.O.S.( sulphuric acid)
IMDG class(es)	8
Packing group	III
EMS number	F-A, S-B
Segregation	Category A, Clear of living quarters
Marine pollutant	Not
Labels	8 
Remarks:	The product is packed in limited quantities according to chapter 3.4 IMDG, it means in combination packaging with not more than 5 liter per inner packaging and not more 30 kg per package Marking for packages containing limited quantities according to chapter 3.4.5

**Air transport ICAO-TI and IATA-DGR:**

UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIS, INORGANIC, N.O.S.( sulphuric acid)
ICAO/IATA class(es)	8
Packing group	III
Labels	8 
Packing instructions	Passenger aircraft – Packing instruction 852, max. net quantity per package 5L Cargo aircraft - Packing instruction 856 max. net quantity per package 60 L Packing instruction Y841–for packaging in limited quantities
Remarks	The product is packed in limited quantities according to chapter 2.7 of Technical Instructions for the Safe Transport of Dangerous Goods by Air, it means in combination packaging with not more than 1 liter per inner packaging and not more 30 kg per package Marking for packages containing limited quantities according to chapter 2.7.0.2



Environmental hazards	not
Special precautions for user	Warning: Corrosive mixture

SECTION 15	Regulatory information
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	<p>Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH)  Regulation (EC) No 453/2010  Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures  Direction No 67/548/EHS (DSD), 1999/45/ES (DPD)  Act No. 350/2011 Coll. On chemical substances and mixtures  Decree No. 381/2001 Coll. Establishing the Waste Catalogue.  Government Regulation No. 361/2007 Coll. On the health conditions of workers at work</p> <p>European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015</p> <p>IMDG Code, MSC 93/22/Add.2  IATA Dangerous Goods Regulations, 56<sup>th</sup> Edition</p>
15.2	Chemical safety assessment
	The chemical safety assessment for the product was´n made.

SECTION 16	
Abbreviations, symbols	
Met Corr.1	Corrosive to metals (Category 1)
Eye Dam.1	Serious eye damage (Category 1)
Skin Irrit.2	Skin Irritation (Category 2)
Skin Corr. 1A	Skin caustic (burns) (Cat. 1A)
C	caustic
Xi	irritation
CLP	Regulation (ES) č.1272/2008
DPD	Direction (ES) 1999/45/ES
PBT	Persistent, bioaccumulation, toxic
vPvB	High persistent, high bioaccumulation
SVHC	Substance of very high concerns
DNEL	Derivated No-Effect Level
PNEC	Prediction No-Effect Concentration

<b>Materials used for the processing of safety data sheet</b>	
Information provided by the producer Material Safety Data Sheets (MSDS) for chemical substances	
R, H-phrases :	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage
H 290	May be corrosive to metals.
R35	Cause severe burns
R38	Irritating to skin
R41	Risk of serious damage to eyes
Guidance regarding the training of workers:	
Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly.	
Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.	
The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producer, importer or retailer.	
Revised safety data sheet:	
version 2.1 – changes in section 1.3 and 2.2– address of supplier, 14- changed information for maritime and air transport	